



**ALLIED**  
NUTRITION

# Protein TUB

*Cattle*

## Allied Stalk Grazer

Provide free-choice as a supplement to pasture cattle at the rate of one block for each 15 to 25 head. Place blocks in pasture near areas frequented by livestock, such as watering locations, shade or loafing areas. Cattle normally consume approximately 1/2 pound per head daily. Consumption may vary depending on climate, grazing conditions, condition of livestock and/or availability of other feeds. In situations where climate and/or other factors result in less than 1/2 pound per head daily, intake of supplement can be increased by increasing the number of blocks per pasture.

### Guaranteed Analysis

**Crude Protein** min 40.0%

(this includes not more than 24% equivalent crude protein as non-protein nitrogen)

|                   |                  |          |
|-------------------|------------------|----------|
| <b>Crude Fat</b>  | min 3.5%         |          |
| <b>Calcium</b>    | min 2.5%         | max 3.0% |
| <b>Phosphorus</b> | min 1.0%         |          |
| <b>Potassium</b>  | min 2.5%         |          |
| <b>Copper</b>     | min 600 ppm      |          |
| <b>Iodine</b>     | min 20 ppm       |          |
| <b>Manganese</b>  | min 1200 ppm     |          |
| <b>Selenium</b>   | min 5.2 ppm      |          |
| <b>Zinc</b>       | min 1800 ppm     |          |
| <b>Vitamin A</b>  | min 80,000 IU/lb |          |
| <b>Vitamin D</b>  | min 8000 IU/lb   |          |
| <b>Vitamin E</b>  | min 80 IU/lb     |          |

### Ingredients

Cane molasses, hydrolyzed feather meal, urea, plant protein products, processed grain by-products, dicalcium phosphate, monocalcium phosphate, limestone, hydrolyzed vegetable oil, zinc sulfate, manganese sulfate, copper chloride, copper sulfate, cobalt carbonate, sodium selenite, ethylenediamine dihydriodide, vitamin A supplement, vitamin D3 supplement, and vitamin E supplement.

YOUR PARTNER IN  
**PRODUCTION**